

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2472	(GSM TDMA CDMA Wireless cellular) same (forward\$3 rout\$3 gateway) same (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L2	20	(GSM TDMA CDMA Wireless cellular) same (forward\$3 rout\$3 gateway) same (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same symmetric\$4 and (destination ((end termination) adj point) receiver) and (source sender)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L3	145	(GSM TDMA CDMA Wireless cellular) same (forward\$3 rout\$3 gateway redirect\$3) and symmetric\$4 and (destination ((end termination) adj point) receiver) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same (source sender) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L4	58	(GSM TDMA CDMA Wireless cellular) same (forward\$3 rout\$3 gateway redirect\$3) and symmetric\$4 and (destination ((end termination) adj point) receiver) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same (source sender) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L5	16	(GSM TDMA CDMA Wireless cellular) same (forward\$3 rout\$3 gateway redirect\$3) and symmetric\$4 and (destination ((end termination) adj point) receiver) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same (source sender) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L6	157	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same (originat\$3 source sender) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3) same (forward\$3 rout\$3 gateway redirect\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L7	1001	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and (originat\$3 source sender) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and (forward\$3 rout\$3 gateway redirect\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L8	600	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) and (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) and (forward\$3 rout\$3 gateway redirect\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L9	56	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L10	15	(US-20020065919-\$ or US-20010041571-\$).did. or (US-6839350-\$ or US-6751218-\$ or US-6636838-\$ or US-6574214-\$ or US-6502135-\$ or US-6496704-\$ or US-6484210-\$ or US-6307837-\$ or US-5909491-\$ or US-5577122-\$ or US-5436960-\$ or US-5393965-\$). did. or (US-6161181-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/03 11:28
L11	15	(GSM TDMA CDMA Wireless cellular destination end termination point receiver decapsulat\$3 decrypt\$3 decipher\$3 decod\$3 originat\$3 source sender encapsulat\$3 encrypt\$3 encipher\$3 encod\$3 forward\$3 rout\$3 gateway redirect\$3 \$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L12	14	("6307837").URPN.	USPAT	OR	ON	2006/04/03 11:28
L13	14	(GSM TDMA CDMA Wireless cellular destination end termination point receiver decapsulat\$3 decrypt\$3 decipher\$3 decod\$3 originat\$3 source sender encapsulat\$3 encrypt\$3 encipher\$3 encod\$3 forward\$3 rout\$3 gateway redirect\$3 \$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L14	56	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (forward\$3 rout\$3 gateway redirect\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L15	161	(GSM TDMA CDMA Wireless cellular) and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (forward\$3 rout\$3 gateway redirect\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L16	105	L15 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L17	127	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L18	26453	L17 ot L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L19	71	L17 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L20	12	"5909491"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L21	8	master adj key and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermdiary mediator) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L22	8	master adj key and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermdiary mediator rout\$3) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L23	10	master adj key and (destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermdiary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L24	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) with (session adj key) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) with (session adj key) same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) with (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L25	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) with key same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) with (session adj key) same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) with (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L26	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) with key same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) with key same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) with (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L27	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) with key same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) with key same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L28	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L29	0	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) same (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) same (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L30	13	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) and (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server) same (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L31	13	(destination ((end termination) adj point) receiver) with (decapsulat\$3 decrypt\$3 decipher\$3 decod\$3) same (originat\$3 source sender) with (encapsulat\$3 encrypt\$3 encipher\$3 encod\$3) and (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server proxy firewall) same (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28

EAST Search History

L32	71	(destination ((end termination) adj point) receiver) and (originat\$3 source sender) and (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server proxy firewall) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) same (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L33	59	(destination ((end termination) adj point) receiver) and (originat\$3 source sender) and (forward\$3 rout\$3 gateway redirect\$3 intermediary mediator rout\$3 server proxy firewall) with (\$2capsulat\$3 \$2crypt\$3 \$2cipher\$3 encod\$3 decod\$3) with (master adj key) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L34	5	"6526506"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L35	209	726/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L36	193	726/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:28
L37	295	713/180.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:30
L38	0	380/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:30